African American

Quit Line Data Summary April 1 - June 30, 2002

| | African Amer. | State |
|--|--------------------------|----------------------|
| Number of Calls to Quit Line | N = 152 | N = 3,421 |
| Percent of Statewide Calls | 5.9% | 100.0% |
| Percent of State Population in County ¹ | 3.2% | 100.0% |
| | African Am 9/ | State 9/ |
| Gender | African Am. % N = 147 | State % N = 3,099 |
| Female | 55.1% | 62.9% |
| Male | 44.9% | 37.1% |
| iviale | 44.570 | 37.170 |
| Race/Ethnicity | N = 152 | N = 2,578 |
| African American | 100.0% | 5.9% |
| Age | N = 129 | N = 2,323 |
| Less than 18 years old | 3.9% | 2.1% |
| 18 - 24 years old | 12.4% | 16.3% |
| 25 - 34 years old | 21.7% | 22.2% |
| 35 - 44 years old | 28.7% | 27.3% |
| 45 years and older | 33.3% | 32.0% |
| Education | N = 147 | N = 2,679 |
| Did not graduate high school | 14.3% | 17.8% |
| High school graduate | 36.1% | 33.7% |
| Some college/vocational school | 40.1% | 37.4% |
| College graduate | 9.5% | 11.0% |
| College graduate | 9.5 /6 | 11.0 /0 |
| Caller Type | N = 143 | N = 2,929 |
| General Information | 1.4% | 11.5% |
| Health care provider | 0.7% | 2.8% |
| Tobacco user | 97.9% | 85.6% |
| Payer Type | N = 114 | N = 1,951 |
| Insured | 42.1% | 40.6% |
| Uninsured | 21.9% | 22.7% |
| Medicaid | 36.0% | 36.6% |
| Heard About | N = 126 | N = 2,463 |
| Past caller | 20.6% | 17.0% |
| Employer/worksite | 0.8% | 1.3% |
| Health care provider | 19.8% | 17.6% |
| Television | 17.5% | 22.8% |
| Outdoor advertisement (billboard/bus/wall) | 1.6% | 4.7% |
| Targeted mailing | 7.1% | 2.6% |
| Great Start | 0.8% | 0.4% |
| Radio | 0.8% | 1.3% |
| Newspaper/Magazine | 1.6% | 2.2% |
| Brochure/Newsletter | 4.0% | 4.9% |
| Family or friend | 22.2% | 21.7% |
| Health Department | 3.2% | 2.9% |
| School | 0.0% | 0.5% |
| | 2.2.73 | 2.270 |

Source: Washington State Department of Health Tobacco Prevention and Control Assessment and Evaluation

¹ "Census 2000", August 2001 (OFM) * Rate not calculated because number of calls was less than 5.